

<b>GRI Part #</b>	<b>Colors</b>	<b>Description</b>
400	W, B, G	Industrial Surface Mount/Concealed Terminals/Closed Loop/U.L. Fire Rated
401	W, B, G	Industrial Surface Mount/Concealed Terminals/Open Loop
402	W, B, G	Industrial Surface Mount/Concealed Terminals/SPDT
410	W, B, G	Industrial Surface Mount/Closed Loop/Top Terminals
411	W, B, G	Industrial Surface Mount/Open Loop/Top Terminals
412	W, B, G	Industrial Surface Mount/SPDT/Top Terminals
505	W, B	Super Mini Surface Mount/Closed Loop/12" Leads
506	W, B	Super Mini Surface Mount/Open Loop/12" Leads
2600	G	Water Sensor/Normally Closed For A Closed Loop Circuit/12 Volts DC
2759	ALNICO	Bare Magnet 3/8" Diameter x 5/8"
2765	ALNICO	Bare Magnet 1/4" Diameter x 1/2"
2800	G	Water Sensor/Normally Open For An Open Loop Circuit/Surface Mount/5-24 VDC
3226	ALNICO	Bare Magnet 3/8" Diameter x 3/8"
3938	ALNICO	Bare Magnet 3/8" Diameter x 2 9/16"
4175	ALUMINUM	Large "L" Bracket
4400	ALUMINUM	Industrial Surface Mount/Up to 2 1/2" Wide Gap/3' Jacketed Cable/Closed Loop
4402	ALUMINUM	Industrial Surface Mount/Up to 2 1/2 " Wide Gap/3' Jacketed Cable/SPDT
4532	ALUMINUM	Mini Floor Mount For Overhead Doors/2' Armored Cable/Closed Loop/With M-4532
4561	B	Mercury Tilt Sensor/10 Degree Maximum Differential Angle
4718	ALNICO	Bare Magnet 3/8" Diameter x 1"
4742	ALNICO	Bare Magnet 3/8" Diameter x 3/4"
4834	W,B,G,BLK	3/8" Recessed Stubby/With M-5/Closed Loop/Wide Gap/12" Leads
5065	W	3/8" Recessed/Closed Loop/With M-13 in C-5 Case/White
5066	B	3/8" Recessed/Closed Loop/With M-13 in C-5 Case/Brown
5088	W,B,G,BLK	3/8" Recessed/With Flat MF-875 Magnet/Closed Loop/12" Leads
5226	ALUMINUM	Spacer For 4400 Series
5227	G	2" Plug
5228	BL	2" Bushing
5278	ALNICO	Bare Magnet 1/8" Diameter x .937"
5358	BL	1 3/4" Bushing
6726	G	1" Diameter Plug
6757	BL	Ceramic Metal Door Magnet
7128	BL	1" Bushing
7174	BL	7/8" Bushing
7175	BL	3/4" Bushing
7666	BL	2 1/2" Bushing
084-1	STAINLESS	Recessed Remote Button For 189 and 289 Series Pool Alarms/All Weather
084-2	STAINLESS	Surface Mount/Remote Button For 189 and 289 Series Pool Alarms/All Weather
084-3	W	Surface Mount/Remote Button For 189 and 289 Series Pool Alarms/All Weather
100-12	W,B,G	Mini Surface Mount/Closed Loop/With Flange
100-12WG	W, B, G	Mini Surface Mount/Closed Loop/With Flange/Wide Gap

100-T	W, B, G,AL	Mini Surface Mount/Screw Mount/Closed Loop/Terminals
100-TC	W, B, G	Mini Surface Mount/With Covers/Screw Mount/Closed Loop/Terminals
100-TCWG	W, B, G	Mini Surface Mount/With Covers/Screw Mount/Closed Loop/Wide Gap/Terminals
100-TWG	W, B, G	Mini Surface Mount/Screw Mount/Closed Loop/Wide Gap/Terminals
101-12	W, B, G	Mini Surface Mount/Open Loop/Screw Mount
101-12WG	W, B, G	Mini Surface Mount/Open Loop/Screw Mount/Wide Gap
101-T	W, B, G	Mini Surface Mount/Screw Mount/Open Loop/Terminals
101-TWG	W, B, G	Mini Surface Mount/Screw Mount/Open Loop/Wide Gap/Terminals
102-12	W, B, G	Mini Surface Mount/SPDT/Screw Mount
102-12WG	W, B, G	Mini Surface Mount/SPDT/With Flanges/Wide Gap
102B-12	W,B,G	Mini Surface Mount/SPDT/Biased For High Security/With Flanges
1100A-12	W, B, G	Mini Surface Mount/Closed Loop/Screw Mount/With Covers
1100A-12WG	W, B, G	Mini Surface Mount/Closed Loop/Screw Mount/With Covers/Wide Gap
1100B-12	W, B, G	Mini Surface Mount/Open Loop/Screw Mount/With Covers
1100B-12WG	W, B, G	Mini Surface Mount/Open Loop/Screw Mount/With Covers/Wide Gap
1100C-12	W, B, G	Mini Surface Mount/SPDT/Screw Mount/With Covers
1100C-12WG	W, B, G	Mini Surface Mount/SPDT/Screw Mount/With Covers/Wide Gap
110-12	W, B, G	Mini Surface Mount/Closed Loop/Self Stick
110-12WG	W, B, G	Mini Surface Mount/Closed Loop/Self Stick/Wide Gap
110-T	W, B, G	Mini SurfaceMount/Self Stick/Closed Loop/Terminals
110-TWG	W, B, G	Mini Surface Mount/Self Stick/Closed Loop/Wide Gap/Terminals
111-12	W, B, G	Mini Surface Mount/Open Loop/Self Stick
111-12WG	W, B, G	Mini Surface Mount/Open Loop/Self Stick/Wide Gap
111-T	W,B,G	Mini Surface Mount/Self Stick/Open Loop/Terminals
111-TWG	W,B,G	Mini Surface Mount/Self Stick/Open Loop/Wide Gap/Terminals
112-12	W, B, G	Mini Surface Mount/SPDT/Self Stick
112-12WG	W, B, G	Mini Surface Mount/SPDT/Self Stick/Wide Gap
112B-12	W,B,G	Mini Surface Mount/SPDT/Biased For High Security/Self Stick
120T-12	W,B,G,BLK	Recessed/Closed Loop/3/4" Switch - 3/8" M-5 Magnet
120T-12WG	W,B,G,BLK	Recessed/Closed Loop/3/4" Switch - 3/8" M-5 Magnet/Wide Gap
120T-12XWG	W,B,G,BLK	Recessed/Closed Loop/3/4" Switch/M-16 Bare Magnet/Extra Wide Gap
129A	W, B, G	Mini Surface Mount/Closed Loop/Concealed Terminals
129AWG	W, B, G	Mini Surface Mount/Closed Loop/Wide Gap/Concealed Terminals
129B	W, B, G	Mini Surface Mount/Open Loop/Concealed Terminals
129BWG	W, B, G	Mini Surface Mount/Open Loop/Wide Gap/Concealed Terminals
130T-12	W,B,G,BLK	Recessed/Open Loop/3/4" Switch - 3/8" M-5 Magnet
130T-12WG	W,B,G,BLK	Recessed/Open Loop/3/4" Switch - 3/8" M-5 Magnet/Wide Gap
130T-12XWG	W,B,G,BLK	Recessed/Open Loop/3/4" Switch/M-16 Bare Magnet/Extra Wide Gap
140T-12	W,B,G,BLK	Recessed/SPDT/3/4" Switch - 3/8" M-5 Magnet
140T-12WG	W,B,G,BLK	Recessed/SPDT/3/4" Switch - 3/8" M-5 Magnet/Wide Gap
140T-12XWG	W,B,G,BLK	Recessed/SPDT/3/4" Switch/M-16 Bare Magnet/Extra Wide Gap
150-12	W, B	Recessed 1/2"/Closed Loop

150-12WG	W, B	Recessed 1/2"/Closed Loop/Wide Gap
150MF-12	W, B	Recessed 1/2"/Closed Loop/With Flat MF-875 Magnet
150MF-T	W,B	Recessed 1/2"/Closed Loop/With Flat MF-875 Magnet/Terminals
150RS-12	W,B	1/2"Recessed Stubby /Closed Loop
150RS-12WG	W,B	1/2"Recessed Stubby /Closed Loop/Wide Gap
150RSMF-12	W,B	1/2"Recessed Stubby /Closed Loop/With Flat MF-875 Magnet
150RSMF-T	W,B	1/2"Recessed Stubby /Closed Loop/With Flat MF-875 Magnet/Terminals
150RS-T	W,B	1/2"Recessed Stubby /Closed Loop/Terminals
150RS-TWG	W,B	1/2"Recessed Stubby /Closed Loop/Terminals/Wide Gap
150-T	W,B	Recessed 1/2"/Closed Loop/Terminals
150-TWG	W,B	Recessed 1/2"/Closed Loop/Terminals
160-12	W,B	1/2"Recessed/Open Loop
160-12WG	W,B	1/2"Recessed/Open Loop/Wide Gap
170-12	W,B	1/2"Recessed/SPDT
170-12WG	W,B	1/2"Recessed/SPDT/Wide Gap
170MF-12WG	W,B	1/2"Recessed/SPDT/Wide Gap/With Flat MF-875 Magnet
175-12	W,B	1/2"Recessed/DPDT
180-12	W,B,G,BLK	Recessed 3/4" Steel Door/Closed Loop/U.L. Fire Rated
180-12WG	W,B,G,BLK	Recessed 3/4" Steel Door/Closed Loop/Wide Gap/U/L Fire Rated
180MC-12	W.B.G.BLK	Recessed 3/4" Steel Door/Closed Loop/MC-180 Door Channel Magnet/ Up To 3/4" Gap In Steel
184-12	W,B,G,BLK	Recessed 1" Steel Door/Closed Loop/U.L. Fire Rated
184-12WG	W,B,G,BLK	Recessed 1" Steel Door/Closed Loop/Wide GapU.L. Fire Rated
184-2	W	Recessed Mount/Sounder Only For 189 and 289 Series Pool Alarms
184-3	W	Recessed Mount/Button Only For 189 and 289 Series Pool Alarms
184-4	W	Recessed Mount/Sounder & Button For 189 and 289 Series Pool Alarms
184-6	W	Surface Mount/Button Only For 189 and 289 Series Pool Alarms
184-7	W	Surface Mount/Sounder Only For 189 and 289 Series Pool Alarms
184-8	W	Surface Mount/Sounder & Button For 189 and 289 Series Pool Alarms
184CP-3	W	Recessed Mount Button Only For Child Resistant Pool Alarms
184CP-4	W	Recessed Sounder and Button For Child Resistant Pool Alarms
184CP-6	W	Surface Mount Button Only For Child Resistant Pool Alarms
184CP-8	W	Surface Mount Sounder and Button For Child Resistant Pool Alarms
184MC-12	W,B,G,BLK	Recessed 1" Steel Door/Closed Loop/MC-180 Door Channel Magnet/Up To 3/4" Gap In Steel
185-12	W,B,G,BLK	Recessed 3/4" Steel Door/Open Loop
185-12WG	W,B,G,BLK	Recessed 3/4" Steel Door/Open Loop/Wide Gap
189-1	W	Recessed Pool Alarm/Delayed/Open Loop/ETL Listed
189-12	W, B, BLK	Recessed 1" Steel Door/Open Loop
189-12WG	W, B, BLK	Recessed 1" Steel Door/Open Loop/Wide Gap
189-2	W	Surface Mount Pool Alarm/Delayed/Open Loop/ETL Listed
189-3	W	Recessed Pool Alarm/Instant On/Open Loop/ETL Listed
189-4	W	Surface Mount Pool Alarm/Instant On/Open Loop/ETL Listed
190-12	W,B,G,BLK	Recessed 3/4" Steel Door/SPDT

190-12WG	W,B,G,BLK	Recessed 3/4" Steel Door/SPDT/Wide Gap
194-12	W,B,G,BLK	Recessed 1" Steel Door/SPDT
194-12WG	W,B,G,BLK	Recessed 1" Steel Door/SPDT/Wide Gap
195-12	W,B,G,BLK	Recessed 3/4" Steel Door/DPDT
195MC-12	W,B,G,BLK	3/4" Recessed Steel Door/DPDT/With MC-180 Door Channel Magnet
199-12	W,B,G,BLK	1" Recessed Steel Door/DPDT
199MC-12	W,B,G,BLK	1" Recessed Steel Door/DPDT/With MC-180 Door Channel Magnet
200-36	ALUMINUM	Overhead Door/Floor Mount/3' Armored Cable/Closed Loop/M-250 Magnet
200-36HD	ALUMINUM	Overhead Door/Floor Mount/3' Armored Cable/Closed Loop/M-280 Magnet/Heavy Duty
200-36WG	ALUMINUM	Overhead Door/Floor Mount/7 1/2" Switch/3' Armored Cable/Closed Loop/Extended Gap/M-280 Magnet
200L-36	ALUMINUM	Overhead Door/Floor Mount/3' Armored Cable/Closed Loop/4175 Bracket/With M-15 Magnet
2020-12	W,B,G,BLK	3/8" Recessed/Closed Loop
2020-12WG	W,B,G,BLK	3/8" Recessed/Closed Loop/Wide Gap
2020-12XWG	W,B,G,BLK	3/8" Recessed/Closed Loop/Extra Wide Gap
2020-T	W,B,G,BLK	3/8" Recessed/Closed Loop/Terminals
2020-TWG	W,B,G,BLK	3/8" Recessed/Closed Loop/Wide Gap/Terminals
2020-TXWG	W,B,G,BLK	3/8" Recessed/Closed Loop/Extra Wide Gap/Terminals
20F-12	W,B,G,BLK	3/8" Recessed/Round Flange/Closed Loop
20F-12WG	W,B,G,BLK	3/8" Recessed/Round Flange/Closed Loop/Wide Gap
20F-12XWG	W,B,G,BLK	3/8" Recessed/Round Flange/Closed Loop/Extra Wide Gap
20-OF-12	W,B,G,BLK	3/8" Recessed/Oval Flange/Closed Loop
20RS-12	W,B,G,BLK	3/8" Recessed Stubby/Closed Loop
20RS-12XWG	W,B,G,BLK	3/8" Recessed Stubby/Closed Loop/Extra Wide Gap
20RS-T	W,B,G,BLK	3/8" Recessed Stubby/Closed Loop/Terminals
20RS-TXWG	W,B,G,BLK	3/8" Recessed Stubby/Closed Loop/Extra Wide Gap/Terminals
210-36	ALUMINUM	Overhead Door/Floor Mount/3' Armored Cable/Open Loop/M-250 Magnet
2120-12	W	3/8" Recessed/Closed Loop/Flexible Ribs
2120-12WG	W	3/8" Recessed/Closed Loop/Wide Gap/Flexible Ribs
2130-12	W	3/8" Recessed/Open Loop/Flexible Ribs
2130-12WG	W	3/8" Recessed/Open Loop/Wide Gap/Flexible Ribs
2140-12	W	3/8" Recessed/SPDT/Flexible Ribs
2140-12WG	W	3/8" Recessed/SPDT/Wide Gap/Flexible Ribs
220-36	ALUMINUM	Overhead Door/Floor Mount/3' Armored Cable/SPDT/M-250 Magnet
229	G	Replaces Standard ANSI Door Plate/Tamper Resistant/U.L. Listed/1" Gap/36" Jacketed Lead
230-36	ALUMINUM	Overhead Door/Floor Mount/3' Armored Cable/DPDT/M-250 Magnet
250-36	ALUMINUM	Overhead Door/Wall Mount/3' Armored Cable/Closed Loop/M-250 Magnet
250-36HD	ALUMINUM	Overhead Door/Wall Mount/3' Armored Cable/Closed Loop/M-280 Magnet
250-36WG	ALUMINUM	Overhead Door/Wall Mount/7 1/2" Switch/3' Armored Cable/Closed Loop/Extended Gap/M-280 Magnet
2600T	G	Water Sensor/Normally Closed For A Closed Loop Circuit/12 Volts DC/With 2 Probes
2600T-P		Replacement Probe With 36" Leads (2600T Only)
260-36	ALUMINUM	Overhead Door/Wall Mount/3' Armored Cable/Open Loop/M-250 Magnet
2605	G	Water Sensor/Normally Closed For A Closed Loop Circuit/5 Volts DC

2624	G	Water Sensor/Normally Closed For A Closed Loop Circuit/24 Volts DC
2650	G	Water Sensor/Normally Open For An Open Loop Circuit/24 Volts AC
270-36	ALUMINUM	Overhead Door/Wall Mount/3' Armored Cable/SPDT/M-250 Magnet
280-36	ALUMINUM	Overhead Door/Wall Mount/3' Armored Cable/DPDT/M-250 Magnet
2808	W	Absence Of Water Sensor/Detects Lack Of <b>or</b> Presence Of Any Non-Volatile Liquid
2826	G	Liquid Level Detector/For Use With Wireless Transmitters/C Form Relay Contacts
2826FS	G	Liquid Level Detector/For Use With Wireless Transmitters/C Form Relay Contacts/Fails Safe
2826-P	G	Replacement Probe For 2826FS
288-1	W	Recessed Annunciator/Closed Loop
288-2	W	Surface Mount Door Annunciator/Closed Loop
289-1	W	Recessed Pool Alarm/Delayed/Closed Loop/ETL Listed
289-2	W	Surface Mount Pool Alarm/Delayed/Closed Loop/ETL Listed
289-3	W	Recessed Pool Alarm/Instant On/Closed Loop/ETL Listed
289-4	W	Surface Mount Pool Alarm/Instant On/Closed Loop/ETL Listed
289CP-1	W	Recessed Pool Alarm/Delayed/Closed Loop/Child Resistant
289CP-2	W	Surface Mount Pool Alarm/Delayed/Closed Loop/Child Resistant
289CP-3	W	Recessed Pool Alarm/Instant On/Closed Loop/Child Resistant
289CP-4	W	Surface Mount Pool Alarm/Instant On/Closed Loop/Child Resistant
28A	W, B, G	Surface Mount/Concealed Terminals/Closed Loop
28AWG	W, B, G	Surface Mount/Concealed Terminals/Closed Loop/Wide Gap
28AXWG	W, B, G	Surface Mount/Concealed Terminals/Closed Loop/Extra Wide Gap
28B	W, B, G	Surface Mount/Concealed Terminals/Open Loop
28BWG	W, B, G	Surface Mount/Concealed Terminals/Open Loop/Wide Gap
28BXWG	W, B, G	Surface Mount/Concealed Terminals/Open Loop/Extra Wide Gap
28C	W, B, G	Surface Mount/Concealed Terminals/SPDT
28CWG	W, B, G	Surface Mount/Concealed Terminals/SPDT/Wide Gap
28CXWG	W, B, G	Surface Mount/Concealed Terminals/SPDT/Extra Wide Gap
290-1	W	Alarm Delay/Closed Loop/Recessed/Field Adjustable 15, 30, 60 & 90 Seconds
290-2	W	Alarm Delay/Closed Loop/Surface Mount/Field Adjustable 15, 30, 60 & 90 Seconds
2930	ALUMINUM	Regulated 12V - 5V DC-DC Converter @350 mA Output
2935T	BLK	Plug-In Power Supply/+5V @ 700 mA Regulated
29A	W, B, G	Surface Mount/Closed Loop/With Covers/Top Terminals
29AWG	W, B, G	Surface Mount/Closed Loop/Wide Gap/With Covers/Top Terminals
29AXWG	W, B, G	Surface Mount/Closed Loop/Extra Wide Gap/With Covers/Top Terminals
29B	W, B, G	Surface Mount/Open Loop/With Covers/Top Terminals
29BWG	W, B, G	Surface Mount/Open Loop/Wide Gap/With Covers/Top Terminals
29BXWG	W, B, G	Surface Mount/Open Loop/Extra Wide Gap/With Covers/Top Terminals
29C	W, B, G	Surface Mount/SPDT/With Covers/Top Terminals
29CWG	W, B, G	Surface Mount/SPDT/Wide Gap/With Covers/Top Terminals
29CXWG	W, B, G	Surface Mount/SPDT/Extra Wide Gap/With Covers/Top Terminals
29PA	W, B, G	Surface Mount/Closed Loop/24" 2 Conductor Jacketed Lead
29PAWG	W, B, G	Surface Mount/Closed Loop/Wide Gap/24" 2 Conductor Jacketed Lead

29PAXWG	W, B, G	Surface Mount/Closed Loop/Extra Wide Gap/24" 2 Conductor Jacketed Lead
29PB	W, B, G	Surface Mount/Open Loop/24" 2 Conductor Jacketed Lead
29PBWG	W, B, G	Surface Mount/Open Loop/Wide Gap/24" 2 Conductor Jacketed Lead
29PBXWG	W, B, G	Surface Mount/Open Loop/Extra Wide Gap/24" 2 Conductor Jacketed Lead
29PC	W, B, G	Surface Mount/SPDT/24" 2 Conductor Jacketed Lead
29PCWG	W, B, G	Surface Mount/SPDT/Wide Gap/24" 2 Conductor Jacketed Lead
29PCXWG	W, B, G	Surface Mount/SPDT/Extra Wide Gap/24" 2 Conductor Jacketed Lead
29PD	W, B, G	Surface Mount/DPDT/24" 2 Conductor Jacketed Lead
29PDWG	W, B, G	Surface Mount/DPDT/24" 2 Conductor Jacketed Lead/Wide Gap
3030-12	W,B,G,BLK	3/8" Recessed/Open Loop
3030-12WG	W,B,G,BLK	3/8" Recessed/Open Loop/Wide Gap
3030-12XWG	W,B,G,BLK	3/8" Recessed/Open Loop/Extra Wide Gap
3030-T	W,B,G,BLK	3/8" Recessed/Open Loop/Terminals
3030-TWG	W,B,G,BLK	3/8" Recessed/Open Loop/Wide Gap/Terminals
3030-TXWG	W,B,G,BLK	3/8" Recessed/Open Loop/Extra Wide Gap/Terminals
30F-12	W,B,G,BLK	3/8" Recessed/Round Flange/Open Loop
30F-12WG	W,B,G,BLK	3/8" Recessed/Round Flange/Open Loop/Wide Gap
30F-12XWG	W,B,G,BLK	3/8" Recessed/Round Flange/Open Loop/Extra Wide Gap
30RS-12	W,B,G,BLK	3/8" Recessed Stubby/Open Loop
30RS-12XWG	W,B,G,BLK	3/8" Recessed Stubby/Open Loop/Extra Wide Gap
400WG	W, B, G	Industrial Surface Mount/Concealed Terminals/Closed Loop/Wide Gap
401WG	W, B, G	Industrial Surface Mount/Concealed Terminals/Open Loop/Wide Gap
402WG	W, B, G	Industrial Surface Mount/Concealed Terminals/SPDT/Wide Gap
4040-12	W,B,G,BLK	3/8" Recessed/SPDT
4040-12WG	W,B,G,BLK	3/8" Recessed/SPDT/Wide Gap
4040-12XWG	W,B,G,BLK	3/8" Recessed/SPDT/Extra Wide Gap
40F-12	W,B,G,BLK	3/8" Recessed/Round Flange/SPDT
40F-12WG	W,B,G,BLK	3/8" Recessed/Round Flange/SPDT/Wide Gap
40F-12XWG	W,B,G,BLK	3/8" Recessed/Round Flange/SPDT/Extra Wide Gap
40FB-12	W,B,G	3/8" Recessed With Flange/Biased For High Security
40RS-12	W,B,G,BLK	3/8" Recessed Stubby/SPDT
40RS-12XWG	W,B,G,BLK	3/8" Recessed Stubby/SPDT/Extra Wide Gap
410P	W, B, G	Industrial Surface Mount/Closed Loop/36" 2 Conductor Jacketed Lead
410PWG	W, B, G	Industrial Surface Mount/Closed Loop/Wide Gap/36" 2 Conductor Jacketed Lead
410WG	W, B, G	Industrial Surface Mount/Closed Loop/Wide Gap/Top Terminals
4110	ALUMINUM	Mini Aluminum Vane Switch For Latch Type Doors/Closed Loop/Jacketed Cable
4110A	ALUMINUM	Mini Aluminum Vane Switch For Latch Type Doors/Closed Loop/Armored Cable
4112	ALUMINUM	Mini Aluminum Vane Switch For Latch Type Doors/SPDT/Jacketed Cable
4112A	ALUMINUM	Mini Aluminum Vane Switch For Latch Type Doors/SPDT/Armored Cable
411P	W, B, G	Surface Mount/Open Loop/36" 2 Conductor Jacketed Lead
411PWG	W, B, G	Surface Mount/Open Loop/Wide Gap/36" 2 Conductor Jacketed Lead
411WG	W, B, G	Surface Mount/Open Loop/Wide Gap

412P	W, B, G	Surface Mount/SPDT/36" 2 Conductor Jacketed Lead
412PWG	W, B, G	Surface Mount/SPDT/Wide Gap/36" 2 Conductor Jacketed Lead
412WG	W, B, G	Surface Mount/SPDT/Wide Gap
413P	W, B, G	Surface Mount/DPDT/36" 2 Conductor Jacketed Lead
413PWG	W, B, G	Surface Mount/DPDT/Wide Gap/36" 2 Conductor Jacketed Lead
4400-A	ALUMINUM	Industrial Surface Mount/3' Armored Cable/Closed Loop
4400AB	ALUMINUM	Industrial Surface Mount/3' Armored Cable/Closed Loop/Biased For High Security
4402-A	ALUMINUM	Industrial Surface Mount/3' Armored Cable/SPDT
4402AB	ALUMINUM	Industrial Surface Mount/3' Armored Cable/SPDT/Biased For High Security
4405	ALUMINUM	Industrial Surface Mount/Up to 2 1/2" Wide Gap/3' Jacketed Cable/DPDT
4405-A	ALUMINUM	Industrial Surface Mount/Wide Gap/3' Armored Cable/DPDT
4460	ALUMINUM	Mini Surface Mount/Institutional Use/Closed Loop/Jacketed Cable
4460A	ALUMINUM	Mini Surface Mount/Institutional Use/Closed Loop/Armored Cable
4461	ALUMINUM	Mini Surface Mount/Institutional Use/Open Loop/Jacketed Cable
4461A	ALUMINUM	Mini Surface Mount/Institutional Use/Open Loop/Armored Cable
4462	ALUMINUM	Mini Surface Mount/Institutional Use/SPDT/Jacketed Cable
4462A	ALUMINUM	Mini Surface Mount/Institutional Use/SPDT/Armored Cable
4482A	ALUMINUM	Large Vane Switch For Latch Type Doors/SPDT/Armored Cable
4473	W,B,G,BLK	Recessed/Closed Loop/3/4" Switch/3/8" M-5 Magnet/Terminals
4510A	ALUMINUM	Concrete Concealed/3' Armored Cable/3" Gap/SPDT/.450"x2.50" Magnet On S-12 Bracket
4510AU	ALUMINUM	Concrete Concealed/3' Armored Cable/3" Gap/SPDT/Universal Magnet
4532B	ALUMINUM	Miniature Overhead Door/Open Loop/24" Armored Cable
4532C	ALUMINUM	Miniature Overhead Door/SPDT/24" Armored Cable
4532CL	ALUMINUM	Miniature Overhead Door/SPDT/24" Armored Cable/M-15 Magnet and 4175 Bracket
4532D-36	ALUMINUM	Miniature Overhead Door/DPDT/36" Armored Cable
4532DL-36	ALUMINUM	Miniature Overhead Door/DPDT/36" Armored Cable/With 4175 Bracket and M-15 Magnet
4532L	ALUMINUM	Mini Floor Mount/2' Armored Cable/Closed Loop/With 4175 Bracket and M-15 Magnet
4532L-36	ALUMINUM	Mini Floor Mount/3' Armored Cable/Closed Loop/With 4175 Bracket and M-15 Magnet
4532LB	ALUMINUM	Miniature Overhead Door/Open Loop/24" Armored Cable/M-15 Magnet and 4175 Bracket
4545-12	W,B,G,BLK	3/8" Recessed/DPDT
45F-12	W,B,G,BLK	3/8" Recessed/Round Flange/DPDT
45F-12WG	W,B,G,BLK	3/8" Recessed/Round Flange/DPDT/Wide Gap
45F-12XWG	W,B,G,BLK	3/8" Recessed/Round Flange/DPDT/Extra Wide Gap
4612	ALUMINUM	Mini Curtain Door/Up to 3" Travel/Reversible Probe/Closed Loop/Armored Cable
4613	ALUMINUM	Mini Curtain Door/SPDT/Up to 2" Gap/3' Armored Cable/Adjustable Travel
4704	G	Surface Mount Pull Apart/SPDT/3' Jacketed Cable
4704-A	G	Surface Mount/Pull Apart/3' Armored Cable/SPDT
4714-A	G	Surface Mount/Reverse Pull Apart/3' Armored Cable/SPDT
4834-T	W,B,G,BLK	Recessed 3/8" Stubby/With M-5/Closed Loop/Terminals
50-12	W, B, G,AL	Mini Surface Mount/Closed Loop/Self Stick
50-12WG	W, B, G,AL	Mini Surface Mount/Closed Loop/Self Stick/Wide Gap
505WG	W, B	Super Mini Surface Mount/Closed Loop/Wide Gap

506WG	W, B	Super Mini Surface Mount/Open Loop/Wide Gap
5088RS	W,B,G,BLK	3/8" Recessed Stubby/With Flat MF-875 Magnet/Closed Loop
5088RS-T	W,B,G,BLK	3/8" Recessed Stubby/With Flat MF-875 Magnet/Closed Loop/Terminals
5088RS-TWG	W,B,G,BLK	3/8" Recessed Stubby/With Flat MF-875 Magnet/Closed Loop/Wide Gap/Terminals
5088RSWG	W,B,G,BLK	3/8" Recessed Stubby/With Flat MF-875 Magnet/Closed Loop/Wide Gap
5088-T	W,B,G,BLK	3/8" Recessed With Flat MF-875 Magnet/Closed Loop/Terminals
5088-TWG	W,B,G,BLK	3/8" Recessed/With Flat MF-875 Magnet/Closed Loop/Wide Gap/Terminals
5088WG	W,B,G,BLK	3/8" Recessed/With Flat MF-875 Magnet/Closed Loop/Wide Gap
50F-12-BA	W, B, G,AL	Mini Surface Mount/Breakaway Flange/End Lead/Closed Loop
50F-12WG-BA	W, B, G,AL	Mini Surface Mount/Breakaway Flange/End Lead/Closed Loop/Wide Gap
50R-12	W, B, G	1/4" Recessed/Closed Loop
50R-12WG	W, B, G	1/4" Recessed/Closed Loop/Wide Gap
50RF-12	W, B, G	1/4" Recessed/With Flange/Closed Loop
50RF-12WG	W, B, G	1/4" Recessed/With Flange/Closed Loop/Wide Gap
50RS-12	W, B, G	1/4" Recessed Stubby/Closed Loop
50RS-12WG	W, B, G	1/4" Recessed Stubby/Closed Loop/Wide Gap
50RS-12XWG	W, B, G	1/4" Recessed Stubby/Closed Loop/Extra Wide Gap
55F-12-BA	W, B, G,AL	Mini Surface Mount/Breakaway Flange/Center Lead/Closed Loop
55F-12WG-BA	W, B, G,AL	Mini Surface Mount/Breakaway Flange/Center Lead/Closed Loop/Wide Gap
5702	STAINLESS	SquareLok 3/16" Armored Cable/ <b>Unstrung</b> /Cost Per Foot
5702-S	STAINLESS	SquareLok 3/16" Armored Cable/ <b>Strung</b> /Cost Per Foot
60-12	W, B, G	Mini Surface Mount/Open Loop/Self Stick
60-12WG	W, B, G	Mini Surface Mount/Open Loop/Self Stick/Wide Gap
60F-12-BA	W, B, G	Mini Surface Mount/Breakaway Flange/End Lead/Open Loop
60F-12WG-BA	W, B, G	Mini Surface Mount/Breakaway Flange/End Lead/Open Loop/Wide Gap
60R-12	W, B, G	1/4" Recessed/Open Loop
60R-12WG	W, B, G	1/4" Recessed/Open Loop/Wide Gap
60RF-12	W, B, G	1/4" Recessed/With Flange/Open Loop
60RF-12WG	W, B, G	1/4" Recessed/With Flange/Open Loop/Wide Gap
60RS-12	W, B, G	1/4" Recessed Stubby/Open Loop
60RS-12WG	W, B, G	1/4" Recessed Stubby/Open Loop/Wide Gap
60RS-12XWG	W, B, G	1/4" Recessed Stubby/Open Loop/Extra Wide Gap
65F-12-BA	W, B, G	Mini Surface Mount/Breakaway Flange/Center Lead/Open Loop
65F-12WG-BA	W, B, G	Mini Surface Mount/Breakaway Flange/Center Lead/Open Loop/Wide Gap
6600	W	6 Terminal Junction Box With Cover/Wire Capture Style Terminals
6601	W	6 Terminal Junction Box With Tamper And Cover/Wire Capture Style Terminals
6644	B	Resistor Pack/2-1K 1/8 Watt/2 Blue Leads/2 Black Leads
6973	BLK	Plug-In Power Supply DC 6V 200 mA Output
70-12	W, B, G	Mini Surface Mount/SPDT/Self Stick
70-12WG	W, B, G	Mini Surface Mount/SPDT/Self Stick/Wide Gap
70F-12-BA	W, B, G	Mini Surface Mount/Breakaway Flange/End Lead/SPDT
70F-12WG-BA	W, B, G	Mini Surface Mount/Breakaway Flange/End Lead/SPDT/Wide Gap



70R-12	W, B, G	1/4" Recessed/SPDT
70R-12WG	W, B, G	1/4" Recessed/SPDT/Wide Gap
70RB-12	W,B,G	1/4" Recessed/SPDT/Biased For High Security
70RF-12	W, B, G	1/4" Recessed/With Flange/SPDT
70RF-12WG	W, B, G	1/4" Recessed/With Flange/SPDT/Wide Gap
70RS-12	W, B, G	1/4" Recessed Stubby/SPDT
70RS-12WG	W, B, G	1/4" Recessed Stubby/SPDT/Wide Gap
70RS-12XWG	W, B, G	1/4" Recessed Stubby/SPDT/Extra Wide Gap
75F-12-BA	W, B, G	Mini Surface Mount/Breakaway Flange/Center Lead/SPDT
75F-12WG-BA	W, B, G	Mini Surface Mount/BreakawayFlange/Center Lead/SPDT/Wide Gap
7834	BL	1 3/32" Wire Run Plug
8065	W	AC/DC Adaptor/Regulated 12 VDC 500 mA/U.L. Listed/Screw Terminals
8080-T	W,B,G,BLK	3/4" Recessed Steel Door/Closed Loop/Terminals
8080-TMC	W,B,G,BLK	3/4" Recessed Steel Door/Closed Loop/MC-180 Door Channel Magnet/Up To 3/4" Gap In Steel/Terms
8080-TWG	W,B,G,BLK	3/4" Recessed Steel Door/Closed Loop/Wide Gap/Terminals
8230-25		25' #5702 Armored Cable/One Male and One Female Connector
8231-3		36" #5702 Armored Cable/With Female Connector
8235-3	G	4704-A With 36" #5702 Armored Cable/With Male Connector
8237-3		36" #5702 Armored Cable/With Male Connector
8296	STAINLESS	SquareLok 7/32" Armored Cable/ <b>Unstrung</b> /Cost Per Foot
8296-S	STAINLESS	SquareLok 7/32" Armored Cable/ <b>Strung</b> /Cost Per Foot
8297	ALUMINUM	Industrial Track Mounting Kit/4402-A Switch Set/S-12 & S-203 Brackets/All Hardware Incl.
8299-G	G	Economy Track Mounting Kit/412-G/M-402-G/S-200 & 4175 Brackets/All Hardware Incl
8307-3	G	4704A With 36" #8278 Coated Armored Cable/With Male Connector
8310-25		25' #8278 Coated Armored Cable/One Male and One Female Connector
8311-3		36" #8278 Coated Armored Cable/With Female Connector
8316-3		36" #8278 Coated Armored Cable/With Male Connector
8449	STAINLESS	SquareLok 5/16" Armored Cable/ <b>Unstrung</b> /Cost Per Foot
8449-S	STAINLESS	SquareLok 5/16" Armored Cable/ <b>Strung</b> /Cost Per Foot
8450-1	ALUMINUM	4402-A Switch Set/2 S-201 Brackets/Fits 2 1/4" to 4" Fence Gate Posts/All Hardware Included
8450-2	ALUMINUM	4402-A Switch Set/2 S-202 Brackets/Fits 1 3/8" to 2 1/2" Fence Gate Posts/All Hardware Included
8450-3	ALUMINUM	Combination Post Mount/4402-A Switch Set/S-202 & S-201 Brackets/All Hardware Included
8484-T	W,B,G,BLK	1" Recessed Steel Door/Closed Loop/Terminals
8484-TMC	W,B,G,BLK	1" Recessed Steel Door/Closed Loop/MC-180 Door Channel Magnet/Up To 3/4" Gap In Steel/Terminals
8484-TWG	W,B,G,BLK	1" Recessed Steel Door/Closed Loop/Wide Gap/Terminals
8585-T	W,B,G,BLK	3/4" Recessed Steel Door/Open Loop/Terminals
8585-TWG	W,B,G,BLK	3/4" Recessed Steel Door/Open Loop/Wide Gap/Terminals
8989-T	W,B,G,BLK	1" Recessed Steel Door/Open Loop/Terminals
A-1.0	W,BL	Adaptor 1" Diameter With 3/8" Hole
A-1.25	W,BL	Adaptor 1 1/4" Diameter With 3/8" Hole
A-562	W,BL	Adaptor 9/16" Diameter With 3/8" Hole
A-625	W,BL	Adaptor 5/8" Diameter With 3/8" Hole

A-87	W,BL	Adaptor 7/8" Diameter With 3/8" Hole
AA180	W, B, BLK	3/4" Recessed Steel Door/2A Form Reeds/4 C Jacketed Cable
AA180-A	W, B, BLK	3/4" Recessed Steel Door/2A Form Reeds/4 C Armored Cable
AA200-36	ALUMINUM	Overhead Door/Floor Mount/3' Armored Cable/2 A Form Reeds/M-250 Magnet
AA2020	W,B,G,BLK	3/8" Recessed/2 A Form Reeds/36" 4 Conductor Cable
AA250-36	ALUMINUM	Overhead Door/Wall Mount/3' Armored Cable/2 A Form Reeds/M-250 Magnet
AA29P	W, B, G	Surface Mount/2A Form Reeds/4 C Jacketed Cable
AA29P-A	W, B, G	Surface Mount/2A Form Reeds/4 C Armored Cable
AA29PWG	W, B, G	Surface Mount/2A Form Reeds/4 C Jacketed Cable/Wide Gap
AA410P	W, B, G	Industrial Surface Mount/2A Form Reeds/4 C Jacketed Lead
AA410P-A	W, B, G	Industrial Surface Mount/2A Form Reeds/Armored Cable
AA4400	ALUMINUM	Surface Mount/2A Form Reeds/4 C Jacketed Lead
AA4400-A	ALUMINUM	Surface Mount/2A Form Reeds/Armored Cable
AA4460A	ALUMINUM	Mini Aluminum Surface Mount/Institutional Use/2 A Form Reeds/Armored Cable
AA4532	ALUMINUM	Mini Floor Mount For Overhead Doors/2' Armored Cable/2 A Form Reeds/With M-4532
AC180	W, B, BLK	3/4" Recessed Steel Door/1A, 1C Form Reed/6 C Jacketed Cable/U.L. Fire Rated
AC180-A	W, B, BLK	3/4" Recessed Steel Door/1A, 1C Form Reed/Armored Cable
AC200-36	ALUMINUM	Overhead Door/Floor Mount/3' Armored Cable/1 A & 1C Form Reed/M-250 Magnet
AC2020-12	W,B,G,BLK	3/8" Recessed/1 A Form & 1 C Form Reed
AC29P	W, B, G	Surface Mount/1A, 1C Form Reed/Jacketed Lead
AC29P-A	W, B, G	Surface Mount/1A, 1C Form Reed/Armored Cable
AC410P	W, B, G	Industrial Surface Mount/1A 1C Form Reed/6 C Jacketed Cable
AC410P-A	W, B, G	Industrial Surface Mount/1A 1C Form Reed/6 C Armored Cable
AC4400	ALUMINUM	Surface Mount/1A, 1C Form Reed/6C Jacketed Lead
AC4400-A	ALUMINUM	Surface Mount/1A, 1C Form Reed/6C Armored Cable
B100-12	W,B,G	Mini Surface Mount/Closed Loop/With Flange/Biased For High Security
B180-12	W,B,G,BLK	3/4" Recessed Steel Door/Closed Loop/Biased For High Security
B190-12	W,B,G,BLK	3/4" Recessed Steel Door/SPDT/Biased For High Security
B190-12WG	W,B,G,BLK	3/4" Recessed Steel Door/SPDT/Wide Gap/Biased For High Security
B200-36	ALUMINUM	Overhead Door/Floor Mount/3' Armored Cable/Closed Loop/Biased For High Security
B220-36	ALUMINUM	Overhead Door/Floor Mount/3' Armored Cable/SPDT/Biased For High Security
B250-36	ALUMINUM	Overhead Door/Wall Mount/3' Armored Cable/Closed Loop/Biased For High Security
B270-36	ALUMINUM	Overhead Door/Wall Mount/3' Armored Cable/SPDT/Biased For High Security
B28A	W, B, G	Surface Mount/Concealed Terminals/Closed Loop/Biased For High Security
B29A	W, B, G	Mini Surface Mount/Closed Loop/Top Terminals/Biased For High Security
B29C	W, B, G	Surface Mount/SPDT/With Covers/Top Terminals/Biased For High Security
B29PA	W, B, G	Surface Mount/Closed Loop/24" 2 Conductor Jacketed Lead/Biased For High Security
B29PB	W, B, G	Surface Mount/Open Loop/24" 2 Conductor Jacketed Lead/Biased For High Security
B400	W, B, G	Industrial Surface Mount/Concealed Terminals/Closed Loop/Biased For High Security
B402	W, B, G	Industrial Surface Mount/Concealed Terminals/SPDT/Biased For High Security
B4040-12	W,B,G,BLK	3/8" Recessed/SPDT/Biased For High Security
B410P	W, B, G	Surface Mount/Closed Loop/36" 2 Conductor Jacketed Lead/Biased For High Security

B50F-12-BA	W, B, G,AL	Mini Surface Mount/Breakaway Flange/End Lead/Closed Loop/Biased For High Security
B70-12	W, B, G	Mini Surface Mount/SPDT/Self Stick/Biased For High Security
C-11	W,B,G	Cover For 1100 Series
C-1100	W,B,G	Case/Surface Mount 3/8" x 3/8" x 2"
C-129	W,B,G	Cover For 129 Series
C-15	W,B,G	Case, Industrial 1/2" x 1/2" x 4" Surface Mount
C-20F	W,B,G	Case, 3/8" Flanged Recessed
C-5	W,B,G	Case, 3/8" Press Fit
C-5RS	W,B,G	Case, 3/8" Stubby Press Fit
C-6R	W,B,G	Case, 1/4" Recessed
C-6RF	W,B,G	Case, 1/4" Flanged Recessed
C-7	W,B,G	Case, Miniature 1/4" x 1" Surface Mount/Adhesive Backing
C-7F	W,B,G	Case, Miniature 1/4" x 1" Surface Mount With 1/4" x 3/16" Flange/Adhesive Backing
C-8	W,B,G	Case, Standard 1/2" x 1/2" x 2 1/2" Surface Mount
CB-1.0	BL	1" Wire Run Plug
CB-20	IVORY	Panic Switch/Call Button/Momentary Action/Open Loop
CB-20HD	IVORY	Panic Switch/Call Button/Momentary Action/Open Loop/Heavy Duty 18 Gauge Cable
CB-75	BL	3/4" Wire Run Plug
CB-875	BL	7/8" Wire Run Plug
CBL-20	IVORY	Panic Switch/Call Button/Push On-Push Off/Open Loop
CC-01	W	Automatic AC Voltage Switching System/U.L. Listed Lamp Switching
CS-1		Current Sensor/Heat Shrink
CS100-12	W, B, G	Current Sensor/Mini Surface Mount/With Flange/Closed Loop
CS2020-12	W, B, G, BLK	Current Sensor/Recessed/3'8" Press To Fit/Closed Loop
CS2020-T	W, B, G, BLK	Current Sensor/Recessed/3'8" Press To Fit/Closed Loop/With Terminals
CS29A	W, B, G	Current Sensor/Surface Mount/Closed Loop/With Terminals
CS400	W,B,G	Current Sensor/Industrial Surface Mount/Closed Loop/Concealed Terminals
CS4400	ALUMINUM	Industrial Surface Mount/3' Jacketed Cable/Closed Loop/With Current Sensor
CS4400-A	ALUMINUM	Current Sensor/Surface Mount/3' Armored Cable
CT3-1	STAINLESS	Normally Open Momentary 12-24 VDC Touch Sensor, 250 mA
CT3-2	STAINLESS	Normally Closed Momentary 12-24 VDC Touch Sensor, 250 mA
CT3-3	STAINLESS	Normally Open 12-24 VDC Alternate Action Touch Sensor, 250 mA
CT3-4	STAINLESS	Normally Closed 12-24 VDC Alternate Action Touch Sensor, 250 mA
CT3-2-1	STAINLESS	NO/NC Contacts 12-24 VDC Momentary Touch Sensor, Relay De-Energized, 2 Amp
CT3-2-2	STAINLESS	NO/NC Contacts 12-24 VDC Momentary Touch Sensor, Relay Energized, 2 Amp
CT3-2-3	STAINLESS	NO/NC Contacts 12-24 VDC Alternate Action Touch Sensor, Relay De-Energized, 2 Amp
CT3-2-4	STAINLESS	NO/NC Contacts 12-24 VDC Alternate Action Touch Sensor, Relay Energized, 2 Amp
DP-1.0	W,BL	Dummy Plug, 1" Diameter/Self Locking
DP-1.25	W,BL	Dummy Plug, 1 1/4" Diameter/Self Locking
DP-20RS	W,B	Dummy Plug, 3/8" Diameter
DP-250	BL	Dummy Plug, 1/4" Diameter/Self Locking
DP-375	W,BL	Dummy Plug, 3/8" Diameter/Self Locking

DP-500	W,BL	Dummy Plug, 1/2" Diameter/Self Locking
DP-50RF	W,B	Dummy Plug, 1/4" Diameter/Round Flanged
DP-562	W,BL	Dummy Plug, 9/16" Diameter/Self Locking
DP-625	W,BL	Dummy Plug, 5/8" Diameter/Self Locking
DP-750	W,BL	Dummy Plug, 3/4" Diameter/Self Locking
DP-875	W,BL	Dummy Plug, 7/8" Diameter/Self Locking
DPA-10	W	UL Listed/Surface Mount/Instant On/Closed Loop Pool Alarm
DPA-10D	W	UL Listed/Surface Mount/7 Second Delay/Closed Loop Pool Alarm
DPARM	W	4 Wire Surface Mount Pool Alarm/Instant On or Delayed/Adjustable Volume
DS-01	W, B	Dome Switch/Screw Down Flange/Closed Loop
DS-01T	W, B	Dome Switch/Screw Down Flange/Closed Loop/Terminals
DS-03	W,B	Dome Switch/Screw Down Flange/SPDT
E-Z 38-W	W	3/8" X 3/8" Raceway/Six Foot Lengths/Bag of 10
E-Z 58 50	W,B	5/8" x 1/2" Raceway/Six Foot Lengths/Box of 50
E-Z 58 6	W,B	5/8" x 1/2" Raceway/Six Foot Lengths/Bag of 6/Minimum 6 Bags
E-Z 58 COM	W,B	Combo Pack/2 Pcs Ea Inside Corner, Outside Corner, Splice, Right Angle, Tee, End Cap
E-Z 58 DC	W,B	Drop Ceiling/Bag of 6
E-Z 58 EC	W,B	End Cap/Bag of 6
E-Z 58 IC	W,B	Inside Corner/Bag of 6
E-Z 58 OC	W,B	Outside Corner/Bag of 6
E-Z 58 RA	W,B	Right Angle/Bag of 6
E-Z 58 SG	W,B	Junction Box/Each
E-Z 58 SP	W,B	Splice - Coupling/Bag of 6
E-Z 58 TEE	W,B	Tee Connector/Bag of 6
E-Z 75 50	W,B	5/8" x 1 1/4" Raceway/Six Foot Lengths/Box of 50
E-Z 75 6	W,B	5/8" x 1 1/4" Raceway/Six Foot Lengths/Bag of 6/Minimum 6 Bags
E-Z 75 COM	W,B	Combo Pack/2 Pcs Ea Inside Corner, Outside Corner, Splice, Right Angle, Tee, End Cap
E-Z 75 DG	W,B	Junction Box/5" W x 5" H x 2" D
E-Z 75 EC	W,B	End Cap/Bag of 6
E-Z 75 IC	W,B	Inside Corner/Bag of 6
E-Z 75 OC	W,B	Outside Corner/Bag of 6
E-Z 75 RA	W,B	Right Angle/Bag of 6
E-Z 75 SP	W,B	Splice - Coupling/Bag of 6
E-Z 75 TEE	W,B	Tee Connector/Bag of 6
E-Z SB	W	Smoke Alarm Base Box
GB-551	W	On the Glass Shock Sensor/10' Radius of Detection/Reverse Polarity Protected
GT10-2	G	Gate Mount Pool Alarm/7 Second Delay/Closed Loop
GT10-4	G	Gate Mount Pool Alarm/Instant On/Closed Loop
H8800	W	Humidity Sensor/ <b>On Board</b> /Reports Relative Humidity 5% to 95% +/- 5%
H8800R	W	Humidity Sensor/ <b>Remote Probe</b> /Reports Relative Humidity 5% to 95% +/- 5%
H88R	STAINLESS	Replacement Probe For H8800R
HD-1	W	Hold-Up Device/Latching Circuit

HD-2	W	Hold-Up Device/Non-Latching Circuit
HTP-1	STAINLESS	Optional Remote Temperature Probe For ThermStat-3
HTP-2	STAINLESS	Optional Remote Temperature Probe For ThermStat-3
HTP-3	STAINLESS	Optional Remote Temperature Probe For ThermStat-3
HTP-101	STAINLESS	Optional High Temperature Remote Probe For ThermStat-4
HTP-102	STAINLESS	Optional High Temperature Remote Probe For ThermStat-4
HTP-103	STAINLESS	Optional High Temperature Remote Probe For ThermStat-4
M-10	ALNICO	Bare Magnet, 1/4" Diameter x 3/4"/Pole End Painted
M-10(UNP)	ALNICO	Bare Magnet, 1/4" Diameter x 3/4"/Unpainted
M-100	W,B,G	Magnet, 1/4" x 3/8" x 2" Miniature Surface Screw Mount/Adhesive Backing
M-110	W,B,G	Magnet, 1/4" x 3/8" x 1 1/2" Miniature Surface Screw Mount/Adhesive Backing
M-1100	W,B,G	Magnet, 3/8" x 3/8" x 3" Surface Screw Mount
M-12	ALNICO	Bare Magnet, 1/4" Diameter x 1"/Pole End Painted
M-12(UNP)	ALNICO	Bare Magnet, 1/4" Diameter x 1"/Unpainted
M-129	W,B,G	Magnet, 1/4" x 3/4" Magnet in 1/2" x 1/2" x 1/2" Miniature Surface Screw Mount Case
M-13	ALNICO	Bare Magnet, 1/4" Diameter x 1 3/16" - Pole End Painted
M-13(UNP)	ALNICO	Bare Magnet, 1/4" Diameter x 1 3/16"/Unpainted
M-14	W,B,G	Magnet, 1/2" x 1/2" x 2 1/2" Industrial Surface Screw Mount
M-15	W,B,G	Magnet, 3/8" x 2 9/16" Magnet in 1/2" x 1/2" x 4" Industrial Surface Screw Mount Case
M-150	W,B	Magnet, 1/4" x 1" Magnet in 1/2" Diameter Case/Recessed
M-16	ALNICO	Bare Magnet, 3/8" Diameter x 1 1/2" Pole End Painted
M-16(UNP)	ALNICO	Bare Magnet, 3/8" Diameter x 1 1/2" Unpainted
M-17	ALNICO	Magnet, 1/4" Diameter x 5/8"/Pole End Painted
M-17(UNP)	ALNICO	Magnet, 1/4" Diameter x 5/8" - Unpainted
M-180	W,B,G,BL	Magnet, 3/4" Diameter Steel Door/Recessed
M-180WG	W,B,G,BL	Magnet, 3/4" Diameter Steel Door/Recessed/For Wide Gap
M-184	W,B,G,BL	Magnet, 1" Diameter Steel Door/Recessed
M-184WG	W,B,G,BL	Magnet, 1" Diameter Steel Door/Recessed/For Wide Gap
M-19	ALNICO	Bare Magnet, 3/16" Diameter x 1"/Pole End Painted
M-19(UNP)	ALNICO	Bare Magnet, 3/16" Diameter x 1"/Unpainted
M-20	W,B,G	Magnet, 3/8" x 1 1/2" Magnet in 1/2" x 1/2" x 4" Industrial Surface Screw Mount Case
M-250	ALUMINUM	Magnet, 3 1/4" x 1 1/8" Extruded Wall Mount
M-280	ALUMINUM	Magnet, 3 3/4" x 1 1/8" Extruded Wall Mount
M-401	W,B,G	3/8" x 1 1/2" Magnet in 1/2" x 5/8" x 4" Industrial Surface Screw Mount Case
M-402	W,B,G	3/8" x 2 9/16" Magnet in 1/2" x 5/8" x 4" Industrial Surface Screw Mount Case
M-4400	ALUMINUM	Magnet, 3" x 1" Industrial Rugged Aluminum Case
M-4460	ALUMINUM	Magnet, 5/8" x 1 1/2" Rugged Extruded Aluminum Case For Institutional Application
M-4510A	ALNICO	.450" x 2.5" Bare Magnet With S-12 Bracket/Clamps and Mounting Hardware Included
M-4510AU	ALNICO	.500" x 3.0" Magnet In "Universal" Case/Mounting Hardware Included
M4532	ALUMINUM	3.10" x 2.14" Industrial Aluminum Housing Universal Magnet
M-4532L	G	M-15 Mounted on "L" Bracket/Includes Mounting Hardware
M-4612	ALNICO	Magnet, .450" x 2.50" Bare Magnet With Mounting Clips and Screws

M-4704	G	Magnet, 3/8" x 1 1/2" Magnet In Case For 4704 Pull Apart
M-5	W,B,G	Magnet, 3/8" Press Fit Recessed
M-505	W,B	Magnet, 3/16" x 1/4" x 1" Super Miniature Surface Mount
M-5F	W,B,G	Magnet, 3/8" Flanged Recessed
M-5RS	W,B,G	Magnet, 3/8" x 5/8" Stubby Recessed
M-6R	W,B,G	Magnet, 1/4" Press Fit Recessed With Flange
M-6RF	W,B,G	Magnet, 1/4" Press Fit With Flange
M-7	W,B,G	Magnet, 1/4" Square x 1" Mini Surface Mount/Adhesive Backing
M-7F	W,B,G	Magnet, 1/4" Square x 1" Mini Surface Mount With 1/4" x 3/16" Flange/Adhesive Backing
M-8	W,B,G	Magnet, 1/2" x 1/2" x 2 1/2" Standard Surface Screw Mount
MC120T-12	W,B,G,BLK	Recessed/Closed Loop/3/4" Switch/MC-25 Window Channel Magnet
MC150-12	W, B	1/2" Recessed/Closed Loop/MC-25 Window Channel Magnet
MC150-T	W,B	1/2" Recessed/Closed Loop/MC-25 Window Channel Magnet/Terminals
MC150RS-12	W,B	1/2" Recessed Stubby/Closed Loop/MC-25 Window Channel Magnet
MC150RS-T	W,B	1/2" Recessed Stubby/Closed Loop/MC-25 Window Channel Magnet/Terminals
MC-180	W	Door Channel Magnet/U.L. Fire Rated
MC2020-12	W,B,G,BLK	3/8" Recessed/Closed Loop/With MC-25 Window Channel Magnet
MC2020-T	W,B,G,BLK	3/8" Recessed/Closed Loop/With MC-25 Window Channel Magnet/Terminals
MC20RS-12	W,B,G,BLK	3/8" Recessed Stubby/Closed Loop/With MC-25 Window Channel Magnet
MC20RS-T	W,B,G,BLK	3/8" Recessed Stubby/Closed Loop/With MC-25 Window Channel Magnet/Terminals
MC2120-12	W	3/8" Recessed/Closed Loop/Flexible Ribs/With MC-25 Window Channel Magnet
MC-25	W	Window Channel Magnet With Rare Earth MM-25
MC5065	W	3/8" Recessed/Closed Loop/White/With MC-25 Window Channel Magnet/Bags of Ten
MF-875		Magnet, 1/8" x 3/8" x 7/8" Flat Pole End Painted
MM-10		Rare Earth Magnet, 1/4" Diameter x 3/4" Long
MM-100	W,B,G,AL	1/4" x 3/4" Rare Earth Magnet in M-100 Case Printed WG
MM-110	W,B,G,AL	1/4" x 3/4" Rare Earth Magnet in M-110 Case Printed WG/Self Stick
MM-150RS	W,B	1/4" x 1/2" Rare Earth Magnet in 150RS Case
MM-25		Rare Earth Magnet, 1/4" x 1/4" x 1/8"
MM-375		Rare Earth Magnet, 3/8" Diameter x 1/2" Long
MM-400		Rare Earth Magnet, 3/8" Diameter x 1/8" For Standard Gap
MM-45		Rare Earth Magnet, .19" x .45" x .23"
MM-5	W,B,G	MM-10 In M-5 Case
MM-5RS	W,B,G	MM-10 In M-5RS Case
MM-600		Rare Earth Magnet, 5/8" Diameter x 1/8" For Wide Gap
MM-9		Rare Earth Magnet, 1/4" Diameter x 1/2" Long
MM-900	W,B,G,AL	1/4" x 1/2" Rare Earth Magnet in M-100 Case
MM-910	W,B,G,AL	1/4" x 1/2" Rare Earth Magnet in M-110 Case
MM-9RS	W,B,G	1/4" x 1/2" Rare Earth Magnet in C-5RS Case
MMR-25		Rare Earth Magnet, 1/4" Diameter x 1/8"
MS150-12	W,B	1/2" Recessed/Closed Loop/Magnasphere Tech/Tamper and Defeat Resistant
MS180-12	W,B,G,BLK	3/4" Recessed Steel Door/Closed Loop/Magnasphere Tech/Tamper and Defeat Resistant

MS184-12	W,B,G,BLK	1" Recessed Steel Door/Closed Loop/Magnasphere Tech/Tamper and Defeat Resistant
MS2020-12	W,B,G,BLK	3/8" Recessed/Closed Loop/Magnasphere Tech/Tamper and Defeat Resistant
MS20F-12	W,B,G,BLK	3/8" Recessed/Round Flange/Closed Loop/Magnasphere Tech/Tamper and Defeat Resistant
MS20-OF-12	W,B,G,BLK	3/8" Recessed/Oval Flange/Closed Loop/Magnasphere Tech/Tamper and Defeat Resistant
MS20RS-12	W,B,G,BLK	3/8" Recessed Stubby/Closed Loop/Magnasphere Tech/Tamper and Defeat Resistant
MS28A	W, B, G	Surface Mount/Concealed Terms/Closed Loop/Magnasphere Tech/Tamper & Defeat Resistant
MS29A	W, B, G	Standard Surface Mount/Closed Loop/Magnasphere Tech/Tamper and Defeat Resistant
MS29PA	W, B, G	Surface Mount/Closed Loop/24" Jacketed Lead/Magnasphere Tech/Tamper & Defeat Resistant
MS4400-A	ALUMINUM	Ind Surface Mt/3' Armored Cable/Closed Loop/Magnasphere Tech/Tamper & Defeat Resistant
MS4702	G	Surf Mt Pull Apart/Closed Loop/3' Jacketed Cable/Magnasphere Tech/Tamper & Defeat Resistant
MS4702A	G	Surf Mt/Pull Apart/3' Armored Cable/Closed Loop/Magnasphere Tech/Tamper & Defeat Resistant
MS8236-3	G	Surf Mt/Pull Apart/3' Armored Cable w/Male Connector/Closed Loop/Magnasphere Tech/Tamper & Defeat Resistant
MS8307-3	G	Surf Mt/Pull Apart/3' Coated Armored Cable w/Male Connector/Closed Loop/Magnasphere Tech/Tamper & Defeat Resistant
MS8774	G	Surf Mt/Pull Apart/15" Extreme Duty Armored Cable/Closed Loop/Magnasphere Tech/Tamper & Defeat Resistant
M-SASH	W,B	Rare Earth Magnet for Window Sash in Custom Case
N120T-12	W,B,G,BLK	Recessed/Closed Loop/3/4" Switch/MM-400 Rare Earth Magnet
N120T-12WG	W,B,G,BLK	Recessed/Closed Loop/3/4" Switch/MM-600 Rare Earth Magnet/Wide Gap
N150-12	W, B	1/2" Recessed/Closed Loop/MM-400 Rare Earth Magnet
N150-12WG	W, B	1/2" Recessed/Closed Loop/MM-600 Rare Earth Magnet/Wide Gap
N150RS-12	W,B	1/2" Recessed Stubby /Closed Loop/With MM-400 Rare Earth Magnet
N150RS-12WG	W,B	1/2" Recessed Stubby /Closed Loop/Wide Gap/With MM-600 Rare Earth Magnet
N150RS-T	W,B	1/2" Recessed Stubby /Closed Loop/Terminals/With MM-400 Rare Earth Magnet
N150RS-TWG	W,B	1/2" Recessed Stubby/Closed Loop/Terms/Wide Gap/With MM-600 Rare Earth Magnet
N150-T	W,B	1/2" Recessed/Closed Loop/With MM-400/Terminals
N150-TWG	W,B	1/2" Recessed/Closed Loop/With MM-600/Wide Gap/Terminals
N2020-12	W,B,G,BLK	3/8" Recessed/Closed Loop/With MM-400 Rare Earth Magnet
N2020-12WG	W,B,G,BLK	3/8" Recessed/Closed Loop/With MM-600 Rare Earth Magnet/Wide Gap
N2020-T	W,B,G,BLK	3/8" Recessed/Closed Loop/With MM-400 Rare Earth Magnet/Terminals
N2020-TWG	W,B,G,BLK	3/8" Recessed/Closed Loop/With MM-600 Rare Earth Magnet/Wide Gap/Terminals
N20RS-12	W,B,G,BLK	3/8" Recessed Stubby/Closed Loop/With MM-400 Rare Earth Magnet
N20RS-12WG	W,B,G,BLK	3/8" Recessed Stubby/Closed Loop/With MM-600 Rare Earth Magnet/Wide Gap
N20RS-T	W,B,G,BLK	3/8" Recessed Stubby/Closed Loop/With MM-400 Rare Earth Magnet/Terminals
N20RS-TWG	W,B,G,BLK	3/8" Recessed Stubby/Closed Loop/With MM-600 Rare Earth Magnet/Wide Gap/Terminals
N2120-12	W	3/8" Recessed/Closed Loop/Flexible Ribs/With MM-400 Rare Earth Magnet
N2120-12WG	W	3/8" Recessed/Closed Loop/Flexible Ribs/With MM-600 Rare Earth Magnet/Wide Gap
N3030-12	W,B,G,BLK	3/8" Recessed/Open Loop/With MM-400 Rare Earth Magnet
N3030-12WG	W,B,G,BLK	3/8" Recessed/Open Loop/With MM-600 Rare Earth Magnet/Wide Gap
N3030-T	W,B,G,BLK	3/8" Recessed/Open Loop/With MM-400 Rare Earth Magnet/Terminals
N3030-TWG	W,B,G,BLK	3/8" Recessed/Open Loop/Wide Gap/With MM-600 Rare Earth Magnet/Wide Gap/Terminals
N30RS-12	W,B,G,BLK	3/8" Recessed Stubby/Open Loop/With MM-400 Rare Earth Magnet
N30RS-12WG	W,B,G,BLK	3/8" Recessed Stubby/Open Loop/Wide Gap/With MM-600 Rare Earth Magnet
N4040-12	W,B,G,BLK	3/8" Recessed/SPDT/With MM-400 Rare Earth Magnet

N4040-12WG	W,B,G,BLK	3/8" Recessed/SPDT/With MM-600 Rare Earth Magnet/Wide Gap
N4473	W,B,G,BLK	Recessed/Closed Loop/3/4" Switch/MM-400 Rare Earth Magnet/Terminals
N4473WG	W,B,G,BLK	Recessed/Closed Loop/3/4" Switch/MM-600 Rare Earth Magnet/Wide Gap/Terminals
N4545-12	W,B,G,BLK	3/8" Recessed/DPDT/With MM-400 Rare Earth Magnet
N4545-12WG	W,B,G,BLK	3/8" Recessed/DPDT/With MM-600 Rare Earth Magnet/Wide Gap
N5065	W	3/8" Recessed/Closed Loop/White/With MM-400 Rare Earth Magnet
N5066	B	3/8" Recessed/Closed Loop/Brown/With MM-400 Rare Earth Magnet
N50RF-12	W, B, G	1/4" Recessed/Closed Loop/With Flange/With MM-400 Rare Earth Magnet
N50RS-12	W, B, G	1/4" Recessed Stubby/Closed Loop/With MM-400 Rare Earth Magnet
NC-20	ALMOND	Home Nurse Call System/Instant On/Self Contained Local Alarm
NSP-17	STAINLESS	Narrow Gang Plate With One Button/Choice of Button Color and Engraving
PA-75	W,B,G	Adaptor, 3/4" Diameter With 3/8" Hole
PB-100	W, B	9/16" Push Button/Press To Fit/Closed Loop
PB-100T	W, B	9/16" Push Button/Press To Fit/Closed Loop/Terminals
PB-101	W, B	9/16" Push Button/Press To Fit/Open Loop
PB-101T	W, B	9/16" Push Button/Press To Fit/Open Loop/Terminals
PB-102	W, B	9/16" Push Button/Press To Fit/SPDT
PB-2020	W, B, G	3/8" Push Button/Press To Fit/Adjustable Screw Plunger/Closed Loop
PB-2020-T	W, B, G	3/8" Push Button/Press To Fit/Adjustable Screw Plunger/Closed Loop/Terminals
PB-3030	W, B, G	3/8" Push Button/Press To Fit/Adjustable Screw Plunger/Open Loop
PBF-100	W, B	3/4" Push Button/With Screw Down Flange/Closed Loop
PBF-100T	W, B	3/4" Push Button/With Screw Down Flange/Closed Loop/Terminals
PBF-101	W, B	3/4" Push Button/With Screw Down Flange/Open Loop
PBF-101T	W, B	3/4" Push Button/With Screw Down Flange/Open Loop/Terminals
PBF-102	W, B	3/4" Push Button/With Screw Down Flange/SPDT
PBF-2020	W, B, G	3/8" Push Button/Press To Fit/Adjustable Screw Plunger/With Flange
PBF-2020-T	W, B, G	3/8" Push Button/Press To Fit/Adjustable Screw Plunger/With Flange/Terminals
PBF-3030	W, B, G	3/8" Push Button With Flange/Press To Fit/Adjustable Screw Plunger/Open Loop
PP-17	W	Single Gang Plastic Plate/1 Red Panic Button/Guard Ring
PP-18	W	Single Gang Plastic Plate/1 Red Panic Button/1 Green General Purpose Button/Guard Ring
PP-20	W	Single Gang Plastic Plate With Red/Green LED's/Optional Static Lens
PP-30	W	Sm Recessed Plate/Choice of Button & Collar Colors/Custom Engraving or Heat Stamp
PP-32	W	Oversize Recessed Plate/Choice of Button & Collar Colors/Custom Engraving or Heat Stamp
PP-34	W	Surface Mount Plate/Choice of Button & Collar Colors/Custom Engraving or Heat Stamp
PRM-1	AL	Programmable Relay Module
PTD-1	STAINLESS	For Routing Electrical Power From Door To Door Frame/18" Armored Cable
PTD-1-36	STAINLESS	For Routing Electrical Power From Door To Door Frame/36" Armored Cable
PW-1.0	W,BL	Pre-Wire Plug, 1" Diameter/Self Locking
PW-1.25	W,B	Pre-Wire Plug, 1 1/4" Diameter/Self Locking
PW-150	W	Pre-Wire Plug, 1/2" Diameter
PW-20	W,B	Pre-Wire Plug, 3/8" Diameter x 1 3/4"
PW-20RS	W,B,G	Pre-Wire Plug, 3/8" Diameter x 1"



PW-375	W,B,BL	Pre-Wire Plug, 3/8" Diameter/Self Locking
PW-50	W,B	Pre-Wire, Surface Mount With Double Stick Tape
PW-500	W,BL	Pre-Wire Plug, 1/2" Diameter/Self Locking
PW-50RF	W,B	Pre-Wire Plug, 1/4" Diameter Round Flanged
PW-625	W,BL	Pre-Wire Plug, 5/8" Diameter/Self Locking
PW-75	W,BL	Pre-Wire Plug, 3/4" Diameter/Self Locking
PW-875	W,BL	Pre-Wire Plug, 7/8" Diameter/Self Locking
PW-SM	W,B	Pre-Wire Plug, 1.25"/Surface Mount
RB-01	W, B	3/4" Roller Ball/With Screw Down Flange/Closed Loop
RB-01T	W, B	3/4" Roller Ball/With Screw Down Flange/Closed Loop/Terminals
RB-02	W, B	3/4" Roller Ball/With Screw Down Flange/Open Loop
RB-02T	W,B	3/4" Roller Ball/With Screw Down Flange/Open Loop/Terminals
RB-03	W, B	3/4" Roller Ball/With Screw Down Flange/SPDT
S-10	ALUMINUM	"Z" Mounting Bracket
S-11	W,B,G	Spacer For 100 And 1100 Series Switch Sets
S-111	W,B,G	Cover For 100-TC Series
S-12	ALUMINUM	Short "L" Bracket
S-129	W,B,G	Spacer For 129 Series
S-15	W,B,G	Spacer For 400/410 Series
S-200	ALUMINUM	Garage Door Track Bracket
S-201	ALUMINUM	Large Fence Bracket/For 2 1/2" - 4" Diameter Post
S-202	ALUMINUM	Small Fence Bracket/For 1 3/8" - 2 1/2" Diameter Post
S-203	ALUMINUM	Garage Door Track Bracket
S-222	W,B,G	Cover For 29 Series
S-23	W,B	Spacer For Roller Ball, Dome Switch And Flanged Push Button Switches
S-28	W,B,G	Spacer For 28 And 29 Series
S-9		Offset "Z" Mounting Bracket
SG-1	W	Shock Sensor With Bi-Colored LED/Solid State Piezo Sounder
SP-13	STAINLESS	Single Gang Plate With Red/Green LED's/Optional Static Lens W/"D" Hole
SP-17	STAINLESS	Single Gang Plate/1 Red Panic Button/Guard Ring
SP-18	STAINLESS	Single Gang Plastic Plate/1 Red Panic Button/1 Green General Purpose Button/Guard Ring
SP-20	STAINLESS	Single Gang Plastic Plate With Red/Green LED's/Optional Static Lens
T-1	BL	1 Yard 1" Wide Double Stick Tape
T-1 10YDS	BL	10 Yards 1" Wide Double Stick Tape
T-1 5YDS	BL	5 Yards 1" Wide Double Stick Tape
T-1/2	W,BL	1 Yard 1/2" Wide Double Stick Tape
T-1/2 10YDS	W,BL	10 Yards 1/2" Wide Double Stick Tape
T-1/2 5YDS	W,BL	5 Yards 1/2" Wide Double Stick Tape
T-1/4	W,BL	1 Yard 1/4" Wide Double Stick Tape
T-1/4 10YDS	W,BL	10 Yards 1/4" Wide Double Stick Tape
T-1/4 5YDS	W,BL	5 Yards 1/4" Wide Double Stick Tape
T-3/8	W,BL	1 Yard 3/8" Wide Double Stick Tape

T-3/8 10YDS	W,BL	10 Yards 3/8" Wide Double Stick Tape
T-3/8 5YDS	W,BL	5 Yards 3/8" Wide Double Stick Tape
T8000	G	0°C / 32°F Thermal Sensor/Open Above Activation Temp/Max Temp 115°C / 239°F
T8005	W	5°C / 41°F Thermal Sensor/Closed Above Activation Temp/Max Temp 64°C / 147°F
T8050	W	10°C / 50°F Thermal Sensor/Closed Above Activation Temp/Max Temp 70°C / 158°F
T8060	G	60°C / 140°F Thermal Sensor/Closed Above Activation Temp/Max Temp 115°C / 239°F
T8070	W	21°C / 70°F Thermal Sensor/Closed Above Activation Temp/Max Temp 81°C / 117°F
T8800	W	Temperature Sensor/On Board/Temp Range -23°C ( -10°F) to 80°C (176°F)/7.5VDC - 15 VDC/Normally Open Relay Output
T8800R	W	Temperature Sensor/Remote Probe/Temp Range -40°C ( -40°F) to 85°C (185°F)/7.5VDC - 15 VDC/Normally Open Relay Output
T8800B	W	Temperature Sensor/On Board/Temp Range -23°C ( -10°F) to 80°C (176°F)/7.5VDC - 15 VDC/Normally Closed Relay Output
T8800BR	W	Temperature Sensor/Remote Probe/Temp Range -40°C ( -40°F) to 85°C (185°F)/7.5VDC - 15 VDC/Normally Closed Relay Output
T8800C	W	Temperature Sensor/On Board/Temp Range -23°C ( -10°F) to 80°C (176°F)/7.5VDC - 15 VDC/C Form Relay Output
T8800CR	W	Temperature Sensor/Remote Probe/Temp Range -40°C ( -40°F) to 85°C (185°F)/7.5VDC - 15 VDC/C Form Relay Output
T88R	STAINLESS	Replacement Probe For T8800R, T8800BR and T8800CR
ThermStat-3	W	Digital Thermal Sensor/Memory Backup/Up to 120 Minutes Defrost Cycle
ThermStat-4	W	High Accuracy Digital Thermal Sensor/Memory Backup/Up to 120 Minutes Defrost Cycle
TP-1	STAINLESS	Optional Remote Temperature Probe For ThermStat-3
TP-2	STAINLESS	Optional Remote Temperature Probe For ThermStat-3
TP-3	STAINLESS	Optional Remote Temperature Probe For ThermStat-3
TP-101	STAINLESS	Optional Temperature Remote Probe For ThermStat-4
TP-102	STAINLESS	Optional Temperature Remote Probe For ThermStat-4
TP-103	STAINLESS	Optional Temperature Remote Probe For ThermStat-4
TS-01	BL	Box Tamper With Terminals/Closed Loop (N/O)
TSW-01	BL	Box Tamper With 12" Leads/Closed Loop (N/O)
TS-02	BL	Box Tamper With Terminals/Open Loop (N/C)
TSW-02	BL	Box Tamper With 12" Leads/Open Loop (N/C)
TS-20	Clear	Tamper Switch With Screw Mount/ Closed Loop
TS-30	Clear	Tamper Switch With Screw Mount/Open Loop
TS-40	Clear	Tamper Switch With Screw Mount/SPDT
TSC-20	Clear	Tamper Switch With Clip Mount/Closed Loop
TSC-30	Clear	Tamper Switch With Clip Mount/Open Loop
TSC-40	Clear	Tamper Switch With Clip Mount/SPDT
VS-06	W, B	Vent Switch/Surface Mount/6" Linear Travel/ 1/2"+ Gap/Closed Loop/36" Zip Cord Lead
VS-06T	W, B	Vent Switch/Surface Mount/6" Linear Travel/ 1/2"+ Gap/Closed Loop/Screw Terminals
VS-08	W, B	Vent Switch/Surface Mount/8" Linear Travel/ 1/2"+ Gap/Closed Loop/36" Zip Cord Lead
VS-08T	W, B	Vent Switch/Surface Mount/8" Linear Travel/ 1/2"+ Gap/Closed Loop/Screw Terminals
VSB-06	W, B	Vent Switch/Surface Mount/6" Linear Travel/ 1/2"+ Gap/Open Loop/36" Zip Cord Lead
VSB-08	W, B	Vent Switch/Surface Mount/8" Linear Travel/1/2"+ Gap/Open Loop/36" Zip Cord Lead
WB-26-38	ALUMINUM	Alarmed Window Bar/Fits Windows 26"-38"/Reinforced Extruded Aluminum
Z100-180	W, B, G	Surface Mount/15' Zip Cord/Screw Mount/Closed Loop
Z100-72	W, B, G	Surface Mount/With Flange/6' Zip Cord/Closed Loop
Z110-180	W, B, G	Surface Mount/15' Zip Cord/Self Stick/Closed Loop

Z110-72	W, B, G	Surface Mount/6' Zip Cord/Self Stick/Closed Loop
Z2020-180	W,B,G,BLK	Recessed 3/8"/15' Zip Cord/Closed Loop
Z2020-72	W,B,G,BLK	Recessed 3/8"/6' Zip Cord/Closed Loop
Z50-72	W, B, G	Mini Surface Mount/6' Zip Cord/Closed Loop/Self Stick